

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	611	725/39,50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/31 13:59
S2	96	725/39,50.ccls. and (EPG or IPG or (program near2 (guide or schedul\$3 or list\$3 or menu))) with (download\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/31 14:00
S3	96	725/39,50.ccls. and ((EPG or IPG or (program near2 (guide or schedul\$3 or list\$3 or menu))) with download\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/31 14:16
S4	61	S3 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 11:45
S5	4	("6173330").URPN.	USPAT	OR	OFF	2005/01/31 14:13
S6	9	("5056105" "5301018" "5440706" "5572532" "5608732" "5677911" "5721823" "5801753" "5933431").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 14:14
S7	60	725/46,54.ccls. and ((EPG or IPG or (program near2 (guide or schedul\$3 or list\$3 or menu))) with download\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/31 14:17
S8	34	S7 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/31 17:51
S9	57	725/46.ccls. and (geographic\$3 or zip) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/31 18:01
S10	37	725/46,39.ccls. and ((IPG or epG or (program near3 (guide or schedule or list\$3 or information))) same (geographic\$3 or zip)) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/31 18:15
S11	12	"725"/\$.ccls. and ((IPG or epG or (program near3 (guide or schedule or list\$3 or information))) same (geographic\$3 or zip) same download\$3) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/31 18:44
S12	40	"725"/50.ccls. and download\$3 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/31 18:48

S13	6	"725"/50.ccls. and (download\$3 same (location or zip or geographic\$3)) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/31 18:51
S14	505	"725"/.ccls. and (download\$3 with (schedul\$3 or set\$4)) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/31 18:52
S15	180	"725"/.ccls. and ((download\$3 with (schedul\$3 or set\$4)) same (server or provider or broadcaster or operator)) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/31 18:54
S16	26	"725"/.ccls. and ((download\$3 with (schedul\$3 or set\$4)) same (server or provider or broadcaster or operator)) and (@ad<="20000915" or @rlad<="20000915") and ((region or geographic\$3 or zip) near3 code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/31 18:56
S17	1378	(EPG or IPG or (program near2 (guide or schedul\$3 or list\$3 or menu))) with (download\$3 or transmit\$3 or provid\$3) same (server or operator or headend or provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 17:48
S18	610	(EPG or IPG or (program near2 (guide or schedul\$3 or list\$3 or menu))) with (download\$3 or transmit\$3 or provid\$3) same ((server or operator or headend or provider) with (manag\$5 or control\$3 or schedul\$3 or preset\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 17:50
S19	1	(EPG or IPG or (program near2 (guide or schedul\$3 or list\$3 or menu))) with (download\$3 or transmit\$3 or provid\$3) same ((server or operator or headend or provider) with (manag\$5 or control\$3 or schedul\$3 or preset\$3)) same (access near3 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 19:05
S20	303	S18 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 17:51
S21	168	S20 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 19:07
S22	9	(EPG or IPG or (program near2 (guide or schedul\$3 or list\$3 or menu))) same (download\$3) same (server near3 manag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 19:07
S23	63	(EPG or IPG or (program near2 (guide or schedul\$3 or list\$3 or menu))) same (download\$3) same random\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 19:14

S24	43	S23 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 19:16
S25	1204	(EPG or IPG or (program near2 (guide or schedul\$3 or list\$3 or menu))) same (download\$3 or updat\$4) same (server or operator or head\$1end or 'head end' or provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/01 19:15
S26	233	(EPG or IPG or (program near2 (guide or schedul\$3 or list\$3 or menu))) same (download\$3 or updat\$4) same ((server or operator or head\$1end or 'head end' or provider)with (manag\$3 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/01 19:17
S27	122	S26 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 19:17
S28	112	(EPG or IPG or (program near2 (guide or schedul\$3 or list\$3 or menu))) same (download\$3) same ((server or operator or head\$1end or 'head end' or provider)with (manag\$3 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/01 19:17
S29	57	S28 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 19:39
S30	79	725/50.ccls. and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 19:38
S31	79	S30 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 21:04
S32	0	birdwell.in. and announcemnet	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 21:05
S33	8	birdwell.in. and announcement\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 11:40
S34	151810	(access\$3 near3 control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 11:40

S35	17017	(access\$3 near3 control\$4) with (time\$2 or schedul\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 11:41
S36	266	((access\$3 near3 control\$4) with (time\$2 or schedul\$3)) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 11:41
S37	0	((access\$3 near3 control\$4) with (time\$2 or schedul\$3)) and "725"/39,50,46,54, 93,96, 115-118,132,140,146,152.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 11:45
S38	80	((access\$3 near3 control\$4) with (time\$2 or schedul\$3)) and "725"/39,50,46,54,93,96, 115-118,132,140,146,152.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 11:45
S39	48	S38 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 14:12
S40	197	725/93.ccls. and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 12:07
S41	19846041	725/93.ccls. and download\$3and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 12:07
S42	64	725/93.ccls. and download\$3 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 12:21
S43	622	"725"/.ccls. and ((schedul\$3 or time\$1) with download\$3) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 12:22
S44	82	"725"/.ccls. and ((schedul\$3 or time\$1) with download\$3 with server) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 12:43
S45	3	"725"/.ccls. and ((scheduler or timer) with (access near3 controller)) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 12:46

S46	9	"725"/.ccls. and ((scheduler or timer) with (download\$3)) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 13:47
S47	1	"6029045".pn. and guide	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 14:10
S48	3801	(table or list) with (access\$3 near3 time\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 14:11
S49	16	(table or list) with (access\$3 near3 time\$1) same ((postal or geographic or zip or area) near3 (code\$1 or location))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 14:11
S50	9	S49 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 15:42
S51	575	(access near3 time near3 (table or list)) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 14:19
S52	3	(access near3 time near3 (table or list)) and (@ad<="20000915" or @rlad<="20000915") and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 14:29
S53	0	(access near3 time near3 (table or list)) same (region or zip or area) and (@ad<="20000915" or @rlad<="20000915") and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 14:29
S54	26	(access near3 time near3 (table or list)) same (region or zip or area) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 14:37
S55	625	(cluster\$3 or group\$3) same ((zip or postal)near2 code\$1) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 14:38
S56	1129	(cluster\$3 or group\$3) same ((zip or postal or region or telephone)near2 code\$1) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 14:38

S57	92	(cluster\$3 or group\$3) same ((zip or postal)near2 code\$1) same (download\$3 or provid\$3 or transmit\$4) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 15:33
S58	34	725/33.ccls. and code\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 15:36
S59	2	725/33.ccls. and (code\$1 with (table or list))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 15:40
S60	28	S58 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 15:37
S61	11	725/33,35.ccls. and ((emergency or urgent or warning) near3 code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 15:55
S62	10	S61 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 15:37
S63	1747	(list\$4 or table\$1) with (area near2 code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 15:41
S64	134	((list\$4 or table\$1) with (area near2 code\$1)) same (group\$3 or cluster\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 15:43
S65	99	S64 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 15:56
S66	3	((list\$4 or table\$1) with (telephone near3 area near2 code\$1)) same (group\$3 or cluster\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 15:43
S67	49	((region or area or zip) near2 code\$1) with ((emergency or urgent or warning) near3 code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 15:59

S68	33	S67 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 15:59
S69	100	((region or area or zip)) with ((emergency or urgent or warning) near3 code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 15:59
S70	70	S69 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 16:02
S71	0	725/33,35 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 16:15
S72	50	725/33,35.ccls. and (emergency or urgent or warning) and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 16:13
S73	1	725/97.ccls. and (area near3 code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 16:14
S74	86	725/97.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 16:14
S75	40	725/97.ccls. and telephone	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 16:14
S76	4	725/97.ccls. and (telephone near3 code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 16:16
S77	38	S75 and (@ad<="20000915" or @rlad<="20000915")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 16:15
S78	2	725/97.ccls. and (telephone near3 area)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/02 16:16